


DRAWING NUMBER:	15-602-X-XX
PRODUCT GROUP:	TERMINALS
SUB-GROUP:	MILITARY NON-INSULATED TERMINALS
DESCRIPTION:	NON-INSULATED TRIPLE TURRET TERMINAL



BOARD / PANEL MOUNTING METHOD	MOUNTING HOLE SIZE	DRILL SIZE	FEED THRU COMBINATION
SWAGE MOUNT	$0.116" \pm 0.001$	#32	N/A

PART NO. STRUCTURE:

15-602 - X - XX
 PART SERIES DIMENSION FINISH

MATERIAL OPTIONS:

15-602-X-XX

COMPONENT	MATERIAL	MATERIAL AND SPECIFICATION
TERMINAL	BRASS	BRASS PER ASTM B16, ALLOY C36000, 1/2 HARD

DIMENSION OPTIONS:

15-602-X-XX

DIMENSION	K	OVERALL LENGTH	SHANK LENGTH (L)	BOARD/PANEL THICKNESS
1	N/A	0.562"	0.078"	1/32"
2	N/A	0.593"	0.109"	1/16"
3	N/A	0.624"	0.140"	3/32"
4	N/A	0.655"	0.171"	1/8"
5	N/A	0.679"	0.195"	5/32"
6	N/A	0.718"	0.234"	3/16"

Continued on next page...

DIMENSION OPTIONS CONTINUED:

15-602-X-XX

DIMENSION	K	OVERALL LENGTH	SHANK LENGTH (L)	BOARD/PANEL THICKNESS
8	N/A	0.780"	0.296"	1/4"

FINISH - PLATING OPTIONS:

15-602-X-XX

FINISH CODE	COMPONENT	FINISH	FINISH AND SPECIFICATION
05	TERMINAL	ELECTRO-SOLDER	0.000300"MIN. ELECTRO-SOLDER PER SAE-AMS-P-81728 OVER 0.000100"MIN. COPPER PER SAE-AMS-2418
088	TERMINAL	BRIGHT TIN-LEAD	0.000300"MIN. BRIGHT TIN-LEAD (Sn93%-Pb7%) PER ASTM B545 OVER 0.000100"MIN. COPPER PER SAE-AMS-2418
095	TERMINAL	HOT SOLDER DIP	0.000100"MIN. HOT SOLDER DIP USING Sn60 PER IPC-J-STD-006 OVER 0.000100"MIN. COPPER PER SAE-AMS-2418

TOLERANCES:*

DECIMAL	FRACTIONAL	ANGULAR	DRAWING ORIGINATION DATE	LAST MODIFICATION DATE
N/A	N/A	N/A	6/9/1996	3/1/2017

*All dimensions are in inches.

RoHS COMPLIANCE:

15-602-1-XX

PART NUMBER	RoHS COMPLIANT
15-602-1-05	NO
15-602-1-088	NO
15-602-1-095	NO

15-602-2-XX

PART NUMBER	RoHS COMPLIANT
15-602-2-05	NO
15-602-2-088	NO
15-602-2-095	NO

15-602-3-XX

PART NUMBER	RoHS COMPLIANT
15-602-3-05	NO
15-602-3-088	NO
15-602-3-095	NO

15-602-4-XX

PART NUMBER	RoHS COMPLIANT
15-602-4-05	NO
15-602-4-088	NO
15-602-4-095	NO

15-602-5-XX

PART NUMBER	RoHS COMPLIANT
15-602-5-05	NO
15-602-5-088	NO
15-602-5-095	NO

15-602-6-XX

PART NUMBER	RoHS COMPLIANT
15-602-6-05	NO
15-602-6-088	NO
15-602-6-095	NO

15-602-8-XX

PART NUMBER	RoHS COMPLIANT
15-602-8-05	NO
15-602-8-088	NO
15-602-8-095	NO

MILITARY REFERENCE SPECIFICATIONS:

15-602-1-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-1-05	MIL-T-55155/31	M55155/31XH02 (M55155/31-2S; SE31XC02S)	A-A-59126/31	AA59126/31XH02
15-602-1-088	MIL-T-55155/31	M55155/31XJ02	A-A-59126/31	AA59126/31XJ02 (AA59126/3102)
15-602-1-095	MIL-T-55155/31	M55155/31XI02	A-A-59126/31	AA59126/31XI02

15-602-2-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-2-05	MIL-T-55155/31	M55155/31XH04 (M55155/31-4S; SE31XC04S)	A-A-59126/31	AA59126/31XH04
15-602-2-088	MIL-T-55155/31	M55155/31XJ04	A-A-59126/31	AA59126/31XJ04 (AA59126/3104)
15-602-2-095	MIL-T-55155/31	M55155/31XI04	A-A-59126/31	AA59126/31XI04

15-602-3-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-3-05	MIL-T-55155/31	M55155/31XH06 (M55155/31-6S; SE31XC06S)	A-A-59126/31	AA59126/31XH06
15-602-3-088	MIL-T-55155/31	M55155/31XJ06	A-A-59126/31	AA59126/31XJ06 (AA59126/3106)
15-602-3-095	MIL-T-55155/31	M55155/31XI06	A-A-59126/31	AA59126/31XI06

15-602-4-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-4-05	MIL-T-55155/31	M55155/31XH08 (M55155/31-8S; SE31XC08S)	A-A-59126/31	AA59126/31XH08
15-602-4-088	MIL-T-55155/31	M55155/31XJ08	A-A-59126/31	AA59126/31XJ08 (AA59126/3108)
15-602-4-095	MIL-T-55155/31	M55155/31XI08	A-A-59126/31	AA59126/31XI08

15-602-5-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-5-05	MIL-T-55155/31	M55155/31XH09 (M55155/31-9S; SE31XC09S)	A-A-59126/31	AA59126/31XH09
15-602-5-088	MIL-T-55155/31	M55155/31XJ09	A-A-59126/31	AA59126/31XJ09 (AA59126/3109)
15-602-5-095	MIL-T-55155/31	M55155/31XI09	A-A-59126/31	AA59126/31XI09

Continued on next page...

MILITARY REFERENCE SPECIFICATIONS CONTINUED:

15-602-6-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-6-05	MIL-T-55155/31	M55155/31XH11 (M55155/31-11S; SE31XC11S)	A-A-59126/31	AA59126/31XH11
15-602-6-088	MIL-T-55155/31	M55155/31XJ11	A-A-59126/31	AA59126/31XJ11 (AA59126/3111)
15-602-6-095	MIL-T-55155/31	M55155/31XI11	A-A-59126/31	AA59126/31XI11

15-602-8-XX

PART NUMBER	MIL SPECIFICATION	MIL PART NUMBER	COMMERCIAL ITEM DESCRIPTION (CID) SPECIFICATION	CID PART NUMBER
15-602-8-05	MIL-T-55155/31	M55155/31XH12 (M55155/31-12S; SE31XC12S)	A-A-59126/31	AA59126/31XH12
15-602-8-088	MIL-T-55155/31	M55155/31XJ12	A-A-59126/31	AA59126/31XJ12 (AA59126/3112)
15-602-8-095	MIL-T-55155/31	M55155/31XI12	A-A-59126/31	AA59126/31XI12

TOOLING:

INSTALLATION TOOL: ARBOR PRESS	INSTALLATION TOOL: ANVIL (ARBOR PRESS OPERATED)	INSTALLATION TOOL: PRESS-FIT / ROLL SWAGE / RIVET PUNCH (ARBOR PRESS OPERATED)	INSTALLATION TOOL: FLARE SWAGE PUNCH (ARBOR PRESS OPERATED)
TM1	TA188-146-31	TP112-78	TFLP90-200

NOTES:

DATASHEET NOTES
N/A
INSTRUCTION NOTES
SEE GENERAL SWAGING INSTALLATION INSTRUCTION ON CONCORD ELECTRONICS' WEBSITE WWW.CONCORD-ELECTRONICS.COM